2021 Columbia River North of Falcon Virtual Meeting

2020 COLUMBIA RIVER SUMMER/FALL FISHERIES AND RUN SIZES 2021 COLUMBIA RIVER PRESEASON FORECASTS

All data preliminary and subject to change March 17, 2021

2020 RETURNS AND CONSERVATION OBJECTIVES

Upper Columbia Summer Chinook

- Pre-season forecast was 38,000 fish
- Actual return was 65,494 fish (172% of forecast)

Snake River Wild (SRW)/Upriver Bright (URB)

- Preseason
 - URB run size = 227,600
 - Snake River wild (SRW) run size = 10,900
 - Total allowable URB harvest rate (HR) = 45%
 - Non-Treaty fisheries HR allowed = 15%
 - 8.25% planned for use prior to in-season run size update
 - Treaty Indian fisheries HR allowed = 30%
- Actual
 - URB run size = 299,336 (132% of forecast
 - SRW run size = 12,282 (113% of forecast)
 - Total URB HR = 27.95% (45% allowed)
 - Non-Treaty fisheries URB HR = 9.11% (projected at 12.8-14.6% in-season)
 - Treaty Indian fisheries URB HR = 18.84% (30% allowed)

Lower Columbia River Tules (LCR)

- Preseason
 - Lower River Hatchery tule (LRH) run size = 50,200
 - Total allowable ocean and Columbia River exploitation rate (ER) = 38%
 - Total ocean and Columbia River ER expectation = 38%
 - Columbia River ER expectation = 10.1%
- Actual
 - LRH run size = 77,922 (155% of forecast)
 - Total ocean and Columbia River ER = 25.72%
 - Columbia River ER = 11.37%

Lower River Natural Coho (LCN)

- Preseason
 - Columbia River Coho run size = 140,200 (103,000 early stock, 37,100 late stock)
 - Total allowable ocean and Columbia River ER = 18%
 - Total ocean and Columbia River ER expectation = 16.9%

- Columbia River ER (including Buoy 10) expectation = 6.3%
- Actual
 - Columbia River Coho run size = 338,600 (242% of forecast; 222,000 early stock, 116,600 late stock)
 - Preliminary estimates total 6.72% ER for ocean and in-river fisheries.
 - Columbia River ER (including Buoy 10) = 1.82%

Upriver Summer Steelhead

- Preseason
 - Bonneville Dam passage (A-/B-Index, July October) = 95,500 (1,400 wild B-Index)
 - Non-Treaty ESA impact limit = 2.0% wild A-Index and 2.0% wild B-Index
- Actual
 - Bonneville Dam passage (A-/B-Index, July October) = 107,591 (113% of forecast), return included 5,278 wild B-Index (377% of forecast)
 - Non-Treaty ESA impact = <2% wild A-Index and <2% wild B-Index (both prelim.)

2020 FISHERY GUIDANCE

Columbia River fisheries were managed to meet the following guidelines and objectives:

Federal/State Endangered Species Act

• Sockeye, steelhead, Chinook, Coho, Chum

US v OR Management Agreement (MA)

• 2018-2027 MA in effect

OFWC/WFWC Guidance

- Impact/Allocation sharing
 - Summer Chinook: harvestable surplus available to in-river fisheries downstream of Priest Rapids Dam (<PRD) allocated 80% to recreational, 20% to commercial
 - Sockeye: ~80% of allowable Snake River ESA impacts to recreational, balance to commercial for incidental harvest in Chinook-directed fisheries.
 - Fall Chinook (LRH and SRW)
 - No more than 70% of allowable ESA impacts on the most constraining Chinook stock to recreational, no less than 30% to commercial.

WDFW/Colville Tribe Upper Columbia Management Agreement (UCMA)

• Upper Columbia summer Chinook

2020 NON-TREATY FISHERIES REVIEW

Recreational Fisheries:

 Due to the low forecast, expected harvest in ocean fisheries, and sharing guidelines in the UCMA, the summer recreational fishery <PRD was scheduled to be closed for Chinook retention. Sockeye retention was scheduled to be open May 16-July 31 from the Astoria-Megler Bridge upstream to the OR/WA border. Steelhead retention was scheduled to be open throughout the summer management period with a one steelhead bag.

- The actual summer Chinook return was better than expected, allowing for retention opportunity during July 4-31. Due to high catch rates, sockeye retention seasons varied by river section but were shorter than expected.
- A total of 3,200 sockeye were kept (478 rel.) below Bonneville Dam during 2020.
- Total catch estimates for the summer fishery downstream of Bonneville Dam include 1,191 adult Chinook kept (1,504 released), 1,996 hatchery steelhead kept (2,584 rel.), and from 37,099 angler trips.
- For the area from Bonneville Dam upstream to PRD, summer season catches included 140 adult Chinook kept (246 rel.), 6,311 sockeye kept (244 rel.), and 46 steelhead kept (99 rel.) from 13,700 angler trips.
- Summer Chinook fisheries (including tributaries) upstream of Priest Rapids Dam were open from July 16 October 15.

2020 Non-Treaty Summer	Chinook	Fisheries	Summar	y
(All data preliminary and inc	1		nortalities) Posts	
	Preseason			
Runsize	38,000		65,494	
Harvest allocated	Allow	ved	Actual	Actual/
Fishery	Pre	Post	Take	Allowed
PFMC Ocean Fisheries	3,919	2,258	2,258	100%
Below Priest Rapids Dam (PRD)	10.0%	31.8%	19.4%	
Commercial below BON	51	948	13	1%
Recreational Below Bonneville	173	3,222	1,417	44%
Recreational BON to PRD	30	569	177	31%
Below PRD Total	254	4,738	1,607	34%
Above Priest Rapids Dam (PRD)	90.0%	68.2%	80.6%	
Wanapum Tribal	30	165	36	22%
Colville Tribal	1,601	5,081	1,728	34%
Recreational above PRD	656	4,916	4,914	100%
Above PRD Total	2,286	10,161	6,678	66%
Non-Treaty Total	6,460	17,157	10,543	61%

• Total catch estimates include 4,658 adult Chinook kept (1,706 rel.) and 23,944 (35 rel.) sockeye from 37,767 angler trips.

- The Buoy 10 recreational fishery opened August 14 with a daily bag limit of one salmon. Chinook retention was scheduled to close August 28 - September 22 but remain open for Coho retention through December 31. Chinook retention was scheduled to reopen September 23 - December 31 pending a mid-September URB run size update. Steelhead retention was scheduled to be closed August - October. Preseason harvest expectations (kept plus release mortalities) included 19,400 Chinook (6.3% LCR Chinook ER and 3.4% SRW harvest rate) and 18,200 Coho.
 - The initial season occurred as expected; however, an improved URB return allowed for additional Chinook retention opportunity in early/mid-September. Coho harvest did not meet expectations even though the actual return exceeded expectations.

- Season total catch estimates include 14,633 kept Chinook (5,360 rel.), 7,064 Coho kept (7,252 rel.), and 70 steelhead released from 72,443 angler trips.
- \circ $\,$ The LRH ER exceeded, and the URB HR was similar to, preseason expectations.
- The fall LCR recreational fishery included three subareas and opened August 1 or later depending on the subarea:
 - 1) Tongue Point/Rocky Point upstream to west Puget Island
 - 2) West Puget Island upstream to Warrior Rock/Bachelor Island
 - 3) Warrior Rock/Bachelor Island upstream to Bonneville Dam
- The subarea from Tongue Point/Rocky Point to west Puget Island was open concurrent with Chinook retention at Buoy 10 (except for the in-season addition of September 5-6 for Buoy 10) to reduce effort shift above the Tongue Point/Rocky Point line. A daily bag limit of one adult salmon (Chinook and hatchery Coho) was planned for lower Puget Island upstream to Warrior Rock through August 31 and an again beginning September 23. For the area upstream of Warrior Rock, the pre-season plan included Chinook retention 3-days/week (Friday-Sunday) through September 6 and 7 days/week beginning September 23 with a one adult salmonid daily bag limit. For all areas, steelhead retention was scheduled to be closed August October and salmonid angling was closed whenever Chinook retention was prohibited. Preseason harvest expectations (kept plus release mortalities) for all areas combined included 19,200 Chinook (0.9% LCR Chinook ER and 6.2% SRW harvest rate) and 1,900 Coho.
 - The initial Chinook retention seasons in all areas occurred as planned. Due to the URB return exceeding expectations, additional post-update Chinook retention opportunity occurred in mid/late September. The daily bag limit was relaxed to two fish/one Chinook effective September 19 and two fish/two Chinook beginning October 1. As planned preseason, "Party Fishing" regulations were in effect all season which allow each legal angler aboard a vessel to continue fishing until the daily limit for all anglers aboard was achieved.
 - Season total catch estimates include 19,677 kept Chinook (752 released), 1,537 Coho kept (775 released), and 385 steelhead released from 90,413 angler trips.
 - Although total mortalities were higher than expected, bright Chinook catches and SRW impacts were within expectations. LRH impacts were higher than expected.
- The recreational fishery from Bonneville Dam upstream to the Highway 395 Bridge near Pasco, Washington was scheduled to be open for Chinook retention August 1 – September 8 and again beginning September 23. A one adult fish daily bag limit and area-specific steelhead block closures were in effect.
 - The initial Chinook retention season occurred as expected with additional opportunity provided beginning in mid-September due to the URB run upgrade.
 - Season total catch estimates included 5,800 kept adult Chinook (343 released) and 1,000 Coho kept (215 released) from 22,300 angler trips.
 - Total Chinook catch and SRW impacts were less than expected.
 - "Party Fishing" regulations were in effect all season.

Commercial Fisheries:

- A commercial summer Chinook fishery did not occur since current Oregon Commission guidance requires the use of gear other than traditional gillnets for this fishery. Currently, a viable alternative gear is not available.
- The preseason plan for the Early Fall commercial drift net fishery was for seven 9-hour fishing periods in Zones 4-5 during August 10-31. Any late fall Chinook-directed opportunity would be contingent upon results of the August fishery and in-season run-size updates. Based on the poor Coho forecast, a late-fall tangle net fishery would be considered if inseason indicators warranted a fishery.
- The actual August season consisted of six, 9-hour periods in Zones 4-5 with a 9-inch minimum mesh restriction. The catch of 16,612 Chinook exceeded the preseason expectation of 13,100. An additional 348 Coho and 406 white sturgeon were landed. Nine additional Chinook-directed fishing periods occurred in the late fall season (September 15 October 22), landings included 16,102 Chinook, 2,465 Coho, and 161 white sturgeon. Deliveries per period for the fall Chinook-directed fisheries averaged 58 in August and 27 during the late fall. Ex-vessel value averaged \$2.35/lb for Chinook and \$1.64/lb for Coho. The Coho-directed fishery using tangle net gear consisted of 14 fishing periods during September 30-October 30. Landings included an estimated 3,367 adult hatchery Coho and 911 Chinook. Ex-vessel value averaged \$1.98/lb for Chinook and \$1.76/lb for Coho in this fishery.

	Non	Treaty C	atch Sh	aring - 2	2020 Pre-sea	ison	
SR	W - IMPAC	CTS			Brights - N	Nainstem	
	Impact	Percent			Mortalities	Percent	Harvest
Sport	10.49%	70%		Sport	32,800	70%	32,800
Comm	4.51%	30%		Comm	14,100	30%	14,100
LR	RH - Impac	ts			Chinook - I	Mainstem	
	Impact	Percent			Mortalities	Percent	Harvest
Sport	7.46%	74%		Sport	43,800	67%	43,800
Comm	2.60%	26%		Comm	21,100	33%	21,100

	Non-	Non-Treaty Catch Sharing - 2020 Post-season											
SF	rw - Impac	TS		Brights - I	Mainstem	ainstem							
	Impact	Percent		Mortalities	Percent	Harvest							
Sport	5.28%	58%	Sport	30,100	60%	30,100							
Comm	3.83%	42%	Comn	n 20,400	40%	20,400							
L	.RH - Impac	ts		Chinook -	Mainstem								
	Impact	Percent		Mortalities	Percent	Harvest							
Sport	7.67%	67%	Sport	36,300	54%	36,300							
Comm	3.70%	33%	Comn	n 32,500	46%	32,500							

Ocean Option:	Chin3120-Final	10-Apr						MR	2020	-Final P	Preseas	son		
Columbia River Model Option:	Model	MR2020-Fina	Preseason					IVI I X	2020	i mari	TC3Cu.	,011		
	model		in reseased											
								Non	Treatv	Catch Sh	aring			
Management Guidelines	Goal/Guideline	SRW	Total URB			SRV	V - IMPA		meaty		Brights - N	lainstem		
Harvest Rate	45.00%	45.0%	45.0%	model	allowed@70/30	UN		Percent			Mortalities			
Non-Treaty	15.00%	15.0%	15.0%	23880	23895	Sport	10.49%	70%		Sport	32,800	70%	32,800	
Treaty	30.0%	30.0%	30.0%	10260			4.51%	30%		Comm	14,100	30%	14,100	
% of Harvestable Surplus	00.070	Total	00.070	34140	34136	Comm	1.0170	0070		Comm	11,100		11,100	
Non-Treaty	50%	35%		01110	01100	I R	H - Impa	cts			Chinook - I	Mainstem		
Treaty	50%	43%						Percent			Mortalities			
McNary Escapement	60,000	107,300				Sport	7.46%	74%		Sport	43,800	67%	43,800	
LRH Ocean/Inriver Exp. Rate	38%	38.0%				Comm	2.60%	26%		Comm	21,100	33%	21,100	
Non-Treaty Wild B Index Steelhead	2%	<2%				Comm	2.00 /0	2070		Comm	21,100	5576	21,100	
Treaty Total B Index Steelhead	13%	13%												
Upriver Coho to Bonneville Dam	50%	70%												
Lower Columbia Chum	5%	0.54%												
	070	0.0470												
				Total	LRH		BPH	URB	LRB		SAB	SRW	LRH	SR
Ocean Harvest		1		56,370	9,560	5,550	9,900	23,450	800	7,110			ER	HR
Columbia River Run				420,230	50,010	19,220	45 450	227,570	7,720	69,250	1.000	10,900	10.06%	15.0
			2020 Fisheries	420,230	50,010	19,220	43,430	221,310	1,120	09,230	1,000	10,900	10.00 /6	13.0
Harvest Below Bonneville			nery Description											
Zone 4-5 Wk 33. Aug 9-15		113	Aug 10, 12	840	40	0	180	570	0	50	0	30	0.1%	0.2
Zone 4-5 Wk 34. Aug 16-22			Aug 10, 12	3,020	260			1,450	10			70		0.2
Zone 4-5 Wk 35. Aug 23-29			Aug 24, 26	5,020	450		1,510	2.400	40			120	0.6%	1.0
Zone 4-5 Wk 36. Aug 30-Sep 5			Aug 24, 20	4,270	360		1,360	1,550	90			70		0.6
Zone 4-5 Wk 38. Sep 13-19			Aug 51	3.630	300		690	1,330	170			80		0.0
Zone 4-5 Wk 39. Sep 13-19 Zone 4-5 Wk 39. Sep 20-26				2,400	120		460	1,710	90			50		0.7
Zone 4-5 Wk 39. Sep 20-20 Zone 4-5 Wk 40. Sep 27-Oct 3				1,180	0		220	650	120	-		30		
Oct Coho Tanglenet			Coho target	740	60		0	530	0			30	0.1%	0.2
Select Areas			Full Season	4.660	3.630		180	290	0			30 10		0.2
Buoy 10 Kept + Morts	1 fish limit	Aug 14 0	27/Sep 23-Dec 31	19,420	4,360	-	3,450	7,750	220		140	370		3.4
TP to Lewis	1 fish limit		31/Sep 23-Dec 31	6,800	4,360		3,450	5,170	100	,		250	0.3%	2.2
	1 fish limit	Aug 7-Sep 6; 3d-w		12,360	400		700	8,980	230		0	430	0.4%	3.9
Tributary Sport	MSF	nug 7-Sep 0, 30-W	Average season	2,750	1.670		700	0,960	230			430		0.0
Lower River Total			Average Season	2,750 66,110	11,910	,	9,920	32,170		-		1,540		
				00,110	11,310	2,100	3,320	52,170	1,000	0,200	000	1,540	10.178	
Bonneville Dam Passage				284,100			28,920	195,410		59,770		9,360		
Harvest Above Bonneville														
Z6 - Bonn to Hwy 395	1 fish limit	Aug 1 Son	8/Sep 23-Dec 31	5,240			740	1,980		2,520		90		0.8
Freaty Comm. and C&S		лиу т-зер		5,240			15,910	68,230		32,340		3,270		30
,			Average season	,			15,910	,		32,340		3,270		- 30
Hanford Reach Sport			Average season	7,720				7,720				0		
McNary Dam Passage				107,330				107,330						
monary Dunni ussaye				107,000				101,000				6.064		

Ocean Option:	Chin3120-Final	03/16/21							000 r					
· · · · · · · · · · · · · · · · · · ·	Model	MR2020-Postse	acon Draft					MR2	020-F	ostse	ason D	ran		
Columbia River Model Option:	Model	WIN2020-F05156												
								New	Turation	0-1-1-01-1				
Management Guidelines	Goal/Guideline	SRW	Total URB			9 P	W - IMPA		Treaty C	Catch Sha I	Brights - N	ainstom		
Harvest Rate	45.00%	27.95%	27.95%		of allowed	35	Impact	Percent			Mortalities		Harvest	
Non-Treaty	15.00%	9.11%	9.11%			Sport	5.28%	58%		Sport	30,100	60%	30,100	
Treaty	30.0%	18.84%	18.8%			Comm	3.83%	42%		Comm	20,400	40%	20,400	
% of Harvestable Surplus	50.070	Total	10.070		2070	Comm	5.0570	42.70		Comm	20,400	4070	20,400	
Non-Treaty	50%	23%					RH - Impa	cts		, , , , , , , , , , , , , , , , , , ,	Chinook - I	Mainsterr		
Treaty	50%	28%				-	Impact	Percent			Mortalities		Harvest	
McNary Escapement	60,000	187,400				Sport	7.67%	67%		Sport	36,300	54%	36,300	
LRH Ocean/Inriver Exp. Rate	38%	25.7%				Comm	3.70%	33%		Comm	32,500	46%	32,500	
Non-Treaty Wild B Index Steelhead	2%	<2%				Comm	0.1070	0070		Comm	02,000	4070	02,000	
Treaty Total B Index Steelhead	13%	13.2%												
Upriver Coho to Bonneville Dam	50%	87%												
Lower Columbia Chum	5%	<5%												
				Total	LRH	LRW	BPH	URB	LRB	PUB	SAB	SRW	LRH	SRW
Ocean Harvest				25,620	4,770	3,520	4,050	8,760				3111	ER	HR
				20,020	4,110	0,020	4,000	0,700	210	4,200				
Columbia River Run				574,790	77,920	35,380	52,690	299,340	7,150	101,930	390	12,280	11.37%	9.11%
			2020 Fisheries	014,100	11,020	00,000	02,000	200,040	7,100	101,000	000	12,200	11.0770	0.117
Harvest Below Bonneville			shery Description											
Zone 4-5 Wk 33-34. Aug 9-15 + Aug 16-22	4 days	9 hr periods		6,750	1,040	0	2,400	1,800	150	1,040	0	70	0.57%	0.60%
Zone 4-5 Wk 35. Aug 23-29	2 days	9 hr periods		9,860	1,110	0		2,090			0	90	0.57%	0.70%
				0,000	.,		.,	_,		.,				
Zone 4-5 Wk 38. Sep 13-19	1 day	10 hr periods		6,910	970	500	1,200	2,030	290	1.780	0	80	1.18%	0.68%
Zone 4-5 Wk 39. Sep 20-26	2 days	10 hr periods		6,960	1,000	480	0	3,250		1,760	0	130	1.17%	1.09%
Zone 4-5 Wk 40-43. Sep 30-Oct 22	6 days	10/12 hr periods		2,240	0		0	1,560			0	60	0.00%	0.52%
Oct Coho Tanglenet Wk 40-44	14 days	13 hr periods		910	90	240	0	440	0	90	0	20	0.10%	0.15%
Select Areas	Full Season			3,020	1,910	0	130	300			130	10	0.11%	0.10%
Buoy 10 Kept + Morts	1 Chinook	Aug 14-27, Sep 5,6,	11,12,13, 19-Dec	15,650	4,470	1,080	1,620	4,940	300	1,720	90	200	4.91%	1.65%
TP to Lewis Kept + Morts	1 Chinook	Aug 1-31, Sep 11-13		9,430	1,320	2,140	0	3,460	320	1,660		140	1.45%	1.16%
Lewis to Bonn Kept + Morts	1 Chinook	Aug 7-Sep 6; 3d-wk		12,520	620	0		6,440				260	0.79%	2.15%
Tributary Sport below BON	MSF	Average season		5,330	2,620	2,700	0	0				0	0.52%	0.009
Lower River Total				75,140	15,150	7,140		26,300				1,080	11.37%	8.79
Bonneville Dam Passage				396,410			38,210	272,820		85,140		11,200		
Harvest Above Bonneville														
Z6 - Bonn to Hwy 395 Kept + Morts	1 Chinook	Aug 1-Sep 8, 11-13,	19-Dec	3,880			0	960		2,480		40		0.329
Treaty Comm. and C&S	Average season			100,810			18,390	56,220		26,010		2,310		18.89
Hanford Reach Sport Kept + Morts	Average season			14,670			,	14,630				2,010		
				,				.,250						
McNary Dam Passage				187,900				187,440						
Lower Granite Dam Passage												8,902		
Escapement					62,390	28,230	16,450		4,680	29,570	170			
Hatchery					37,340	20,200	15,430		.,500	17,220	110			
Natural					25,060	28,230	1,020	187,440	4 680	12,360	60			
					20,000	20,200	1,020	101,++0	-1,000	12,000	00			
Hatchery Surplus					17,890		8,430			8,240	(1,090)			
Natural Surplus					17,090	21,103	(280)	127,440		0,240	(1,030)			
matural outplus						21,103	(200)	121,440						

-	2020 Preseason Expectations and Post-season Actual Coho Harvest and Exploitation Rates								
Harvest Summary (kept + release mortal	ities)								
	Total Harves	st Mortalities							
Fishery	Preseason	Post-season							
Mainstem Commercial (all gears)	5,600	6,320							
Select Area Commercial	14,000	37,445							
B10 Sport	18,200	8,006							
LCR Sport	1,900	1,684							
Ocean Fisheries	43,400	42,971							
Total Harvest/Mortalities	82,900	62,534							
	Exploita	tion Rate							
Fishery	Preseason	Post-season							
Mainstem Commercial (all gears)	1.87%	0.59%							
Select Area Commercial	0.14%	0.16%							
B10 Sport	2.83%	0.95%							
LCR Sport	1.48%	0.13%							
Ocean Fisheries	10.55%	4.90%							
Total Exploitation Rate	16.87%	6.72%							

2021 FORECASTS, CONSERVATION OBJECTIVES, AND POLICY GUIDANCE

Upper Columbia Summer Chinook

- Pre-PFMC Forecast = 77,600
- Considering the projected 2021 run size, OR/WA Policy guidance regarding allocation of harvest impacts for 2021 commercial and recreational fisheries is not concurrent. Oregon rule allocates non-treaty sharing downstream of Priest Rapids Dam as 80% recreational and 20% commercial. Washington Policy sharing is for 70% recreational and 30% commercial at the preseason forecasted abundance.
 - Therefore, staff is modeling fisheries at 70% recreational and 20% commercial with 10% unallocated.
- The improved forecast for 2021 should provide for recreational fishing opportunity in all areas (June 16 start, MSF, 2 fish limit?)
 - Preliminary modeling indicates the lower river would be open through ~July 4.
- Current OR/WA policy guidance regarding allowable commercial gears is not concurrent. Oregon rules do not allow use of gillnets for summer season mainstem commercial fisheries. At this time, no other gears are readily available to the commercial fleet, therefore no fishery is expected to occur.
- The first in-season run size update is typically not available until around July 1.

<u>Sockeye</u>

- The 2021 sockeye forecast is 155,600 and is 69% of the 10-yr average return.
- The allowable non-treaty impact rate is 1% (1,556 fish) for fisheries downstream of Hwy 395.
- Some retention opportunity is likely (June 16 start, 1 fish limit?)

Upriver Summer Steelhead

- Forecast = 101,400 (Skamania + A-Index + B-Index)
 - A-Index = 89,200 (27,500 wild)
 - B-Index = 7,600 (1,000 wild)
- Non-treaty fisheries allowed 2% impact rate on both wild A-Index and wild B-Index.
- Given the poor expected return for upriver summer steelhead, fishery restrictions similar to those enacted in recent years are likely, for example:
 - o Daily bag limit may not include more than one hatchery steelhead when open.
 - Thermal angling closures for Eagle Cr., Herman Cr., and Deschutes River.
 - Rolling block steelhead retention closures for mainstem and some tributary recreational fisheries. Below is last year's pre-season closure schedule for reference:
 - August October: Buoy 10 to The Dalles Dam
 - August December: The Dalles Dam to John Day Dam
 - September December: John Day Dam to Hwy 395 Bridge (Pasco)
 - Washington tributary mouth area restrictions:
 - August retention closure: Cowlitz, Lewis, Kalama lower reaches (retention closure)
 - July October steelhead angling closure: Wind, White Salmon, Klickitat lower reaches, and Drano

Fall Chinook Policy Guidance

- Policy guidance is concurrent for the most constraining fall Chinook stock is no more than 70% for recreational fisheries and not less than 30% commercial fisheries. Gillnets allowed in Zones 4-5.
 - OR rule limits impacts for use in lower river alternative gear commercial fisheries to 2 percentage points of the commercial allocation.
 - To clarify, 2% of 30% translates to a maximum of 6.7% of the commercial allocation available for alternative gears.
- Policy guidance for recreational sport fishery <u>objectives</u> are not concurrent. The Oregon policy provides the following guidance shown below, but the WA policy does not provide any guidance:
 - Buoy 10 to Tongue Point: August 1 through Labor Day (34 days; assuming Labor Day is September 3).
 - Tongue Point to Warrior Rock: August 1 through September 7 as non-mark selective and an additional week of mark-selective September 8-14 (45 days).
 - Warrior Rock to Bonneville Dam: August 1 through October 31 (92 days).
 - If established objectives for mainstem recreational fisheries are predicted to be met, additional opportunity for mainstem commercial fisheries shall be provided.

Lower Columbia River (LCR) Tule Fall Chinook

- Preliminary pre-PFMC forecast = 73,100
- Total ocean and Columbia River ER limit = 38%
- Columbia River ER = ~11%
- May be the most constraining fall Chinook stock in 2021, particularly in Buoy 10.

Snake River Wild/Upriver Bright (URB) Fall Chinook

- Preliminary pre-PFMC forecast = 354,200
- Based on the preseason URB and SRW forecasts, the allowed non-treaty URB harvest rate is ≤ 15%.

Columbia Rive	r Fall Chinook Returi	ns 2020-2021						
	202	20	2021					
Stock	Forecast	Return	Forecast					
Lower River Hatchery - LRH	50,000	77,900	73,100					
Lower River Wild - LRW	19,200	35,400	20,000					
Lower River Bright - LRB	7,700	7,200	8,800					
Bonneville Pool Hatchery - BPH	45,500	52,700	46,800					
Upriver Bright – URB	227,600	299,300	354,200					
Snake River Wild (SRW)	10,900	12,300	11,000					
Pool Upriver Bright - PUB	69,300	101,900	77,400					
Select Area Bright - SAB	1,000	400	500					
Lower River Total	78,000	120,800	102,400					
Upriver Total	342,300	454,000	478,400					
Columbia River Total	420,200	574,800	580,800					
2020 forecast/return is post-NOF; 2021 is pre-NOF								
SRW is a sub-component of URB								

Columbia River Coho

- Current harvest matrix in place since 2015
- Ocean abundance (pre-fishery) forecast = 1,590,000 adults
 - \circ $\,$ 1,014,000 early stock and 576,000 late stock
- Guidelines: Lower River Natural (LCN) Coho impacts prioritized to Select Area fisheries, mainstem commercial Chinook fisheries, and commercial hatchery Coho fisheries (OR), followed by recreational fisheries, and then Coho-directed mainstem commercial fisheries (OR & WA). Total ocean and Columbia River ER limit = 30% on LCN Coho.
- Current OR/WA policy guidance regarding allowable commercial gears is not concurrent. Oregon rules do not allow use of 6" gillnets for Coho-directed fisheries while WA does.

<u>Other</u>

• Barbless hooks required in mainstem Columbia River (mouth upstream to the OR/WA border above McNary Dam).

NOAA Guidance Letter – See "Salmon Guidance Letter to PFMC" for additional information.

CONSIDERATIONS FOR 2021 FISHERIES

Track record of ESA Impacts

- Non-treaty fisheries exceeded the allowed SRW impact rate in 2017 and 2018 but were well within the allowed rate of 15% in 2019 and 2020.
- Tule impact rates have been exceeded twice since 2005.

2	2017-2020	SRW Fall	Chinook	Impacts I	oy Fishery	/		
	20	2017		2018		19	202	20
Fishery	Pre	Post	Pre	Post	Pre	Post	Pre	Post
Mainstem Comm. Z 4-5	4.1%	4.0%	2.1%	2.2%	2.1%	1.6%	4.1%	3.6%
Coho Tangle net	0.0%	0.0%	0.3%	0.0%	0.2%	0.2%	0.2%	0.2%
Select Areas	0.2%	0.3%	0.2%	0.0%	0.2%	>0.1%	0.1%	0.1%
Buoy 10	1.6%	4.1%	1.7%	2.0%	1.5%	1.7%	3.4%	1.7%
TP to Lewis	2.2%	2.0%	1.3%	2.9%	1.1%	0.9%	2.3%	1.2%
Lewis to Bonneville	3.2%	4.8%	2.2%	2.1%	2.4%	1.8%	3.9%	2.2%
Bonneville to Hwy 395	0.7%	0.9%	0.5%	0.1%	0.8%	1.0%	0.9%	0.3%
Total	12.01%	16.00%	8.24%	9.35%	8.25%	7.4%	15.0%	9.1%
Commercial	4.3%	4.3%	2.5%	2.2%	2.5%	1.8%	4.5%	3.8%
Sport	7.7%	11.7%	5.7%	7.1%	5.8%	5.6%	10.5%	5.3%

Management Constraints

- The preseason URB and SRW forecasts are over the 15% URB harvest rate thresholds (200,000 URB and 8,000 SRW).
- Recent initial in-season run size updates (mid-September) have generally been below the final URB run size, averaging 80% of final for 2018-2020.

Harvest rates in recreational fisheries

- Buoy 10 angler effort fluctuates with annual salmon returns but average effort has remained relatively stable during the last decade when compared to years prior to 2010. However, Chinook handle rates have generally been increasing in recent years.
- Angler effort in the LCR fall recreational fishery has increased significantly over time, averaging 41,000 trips per year in the 1980s, 54,200 angler trips in the 1990s, 94,400 trips in the 2000s, and 78,100 trips in the 2010's.
 - Annual fall Chinook catch has also increased substantially, averaging 2,300 during the 1980s, 5,000 during 1990s, 14,700 during the 2000s, and 19,100 in the 2010's.

Non-target handle in recreational fisheries

- Due to various reasons (higher Chinook catch rates, varying URB HR, steelhead closures, lower Coho mark rates), a lower proportion of the fish handled in fall fisheries are being retained, resulting in more release mortalities.
- During certain timeframes in the different recreational fishery components, anglers have expressed concern over the higher numbers of non-target fish being caught and released.
- In 2019, the LCR remained open for hatchery Coho when Chinook retention closed to allow access to the expected high hatchery Coho return. With retention of most salmonids prohibited (Chinook, steelhead, and unmarked Coho), the ratio of target to non-target salmonids was low resulting in 53% of all salmonids handled that year being released. Based on the low Coho forecast for 2020, angling for salmonids in the LCR (TP-Bonneville) was closed whenever Chinook retention was prohibited resulting in a 25% non-target handle rate. The high Coho forecast for 2021 warrants discussion of which approach to take this year for the LCR and above Bonneville sport fisheries.

2021 Management Approach (Preliminary Modelling Rationale and Results)

- Rationale/assumptions
 - Model runs incorporate
 - FRAM output from PFMC#1 Alternative 1b
 - Alternative 1b exceeds LRH 38.0%, other options meet objective.
 - In-river: 10.5% LRH ER
 - SRW: 15% SRW/URB HR
 - Allocation: no less than 30% for commercial fisheries and no more than 70% for recreational fisheries for the most constraining stock (LRH).
 - Recreational Chinook fishery season objectives (see page 9) in the OR policy guided initial modeling.
 - MSF regulations are being used to meet the Labor Day objective for Buoy 10.
 - MSF has been used in the past (2013-2016) to achieve the Buoy 10 objective.
 - Objectives for Tongue Point-Bonneville Dam match OR objectives.
 - Tongue Point-West Puget Island is open concurrent with Tongue Point-Warrior R.
 - Reserve Chinook mortalities to cover Coho-directed fisheries.
 - Steelhead modeling is not complete but recreational and commercial fisheries are expected to be within the allowable impact rate.

Octore Onting	Alt db	10.12					MR	2021-P	reseaso	n OFW	C Fall C	bjectiv	ves	1
Ocean Option:	Alt 1b	16-Mar								Base	•••••			
Columbia River Model Option:	Model	MR2021-Pres	season OFWC Fall Object	tives Base						Dase				-
								N	on-Treaty Ca	toh Shari				
Management Guidelines	Goal/Guideline	SRW	Total URB			SR	W - IMPA		JI-Heaty Ca		Brights - N	lainstem		1
Harvest Rate	45.00%	44.8%		model	allowed@70/30		Impact				Mortalities		Harvest	1
Non-Treaty	15.00%	14.8%		33560	37716	Sport	9.22%	62.3%		Sport	47.500	65%	47.500	1
Treaty	30.0%	30.0%		<u>19100</u>	<u>16164</u>		5.59%	37.7%		Comm	25,000	35%	25,000	1
% of Harvestable Surplus	00.070	Total	00.070	52660	53880		0.0070	0			20,000		20,000	
Non-Treaty	50%	33%				LF	RH - Impa	cts		-	Chinook - I	Vainstem		
Treaty	50%	37%					Impact				Mortalities		Harvest	1
McNary Escapement	60,000	171,900				Sport	7.20%	69.4%		Sport	61,900	63%	61,900	1
LRH Ocean/Inriver Exp. Rate	38%	38.9%				Comm	3.17%	30.6%		Comm	35,100	37%	35,100	1
Non-Treaty Wild B Index Steelhead														
Treaty Total B Index Steelhead	13%													
Upriver Coho to Bonneville Dam	50%													
Lower Columbia Chum	5%	•												
				Total	LRH	LRW	BPH	URB	LRB	PUB	SAB	SRW	LRH	SRV
Ocean Harvest				76,550	12,260	6,290	9,960	39,490	1,060	7,500			ER	HR
Columbia River Run				569,740	72,130	19,650	46,050	359,200	9,990	62,240	500	10,900	10.37%	14.8
			2020 Fisheries											
Harvest Below Bonneville			Fishery Description											
Zone 4-5 Wk 33. Aug 8-14			Aug 9, 11	1,190	60				0			30	0.06%	0.2
Zone 4-5 Wk 34. Aug 15-21			Aug 15, 17, 19	5,780	590				40			100	0.48%	0.9
Zone 4-5 Wk 35. Aug 22-28			Aug 23, 25	6,880	690		1		100			110	0.58%	1.0
Zone 4-5 Wk 36. Aug 29-Sep 4			Aug 30	6,000	590				130			90	0.56%	0.8
Zone 4-5 Wk 38. Sep 12-18			1 day	4,990	530				260			80	0.54%	0.73
Zone 4-5 Wk 39. Sep 19-25			2 day	6,240	450				260			110	0.47%	1.0
Zone 4-5 Wk 40. Sep 26-Oct 2			1 day	1,480	0		210		150			30	0.00%	0.2
Zone 4-5 Wk 41 October			1 day early	1,480	0				150			30	0.00%	0.2
Oct Coho Tanglenet			Coho target	1,020	90				0			20	0.08%	0.2
Select Areas			Full Season	5,780	4,810		190		10			10	0.40%	0.1
Buoy 10 Kept + Morts	2 fish / 1 CHF		4-Sep6 nMSF; Sep7+ CO only	26,540	6,180				570			290	5.43%	2.6
TP to Lewis	2 fish / 1 CHF		ep8-14-MSF; Sep15+ CO only	9,880	880				160			200	0.76%	1.8
Lewis to Bonn	2 fish / 1 CHF	Aug 1	- Oct 31 nMSF; Nov 1+ Closed	19,220	680		890		580			410	0.71%	3.74
Tributary Sport	MSF		Average season	3,650	2,290				0	-		0	0.29%	0.0
Lower River Total				98,800	17,830	3,700	11,880	50,070	2,410	12,470	440	1,510	10.4%	13.8
Bonneville Dam Passage				386,490			28,640	309,130		48,720		9,400		
Harvest Above Bonneville														
Z6 - Bonn to Hwy 395	2 fish / 1 CHF	Aug 1	Oct 31 nMSF; Nov 1+ Closed	6,250			670	3,570		2,010		110		0.9
Treaty Comm. and C&S			Average season	152,580			15,750			29,060		3,270		30.
Hanford Reach Sport			Average season	12,500				12,500				0		
McNary Dam Passage				171,860				171,860						
Lower Granite Dam Passage												6,080		
Escapement					54,300	15,950	12,220		7,580	17,650	60			
Hatchery					33,760		10,230			7,530	30			
Natural					20,540	15,950	1,980	171,860	7,580	10,120	20			
Hatchery Surplus					19,380		3,230			(1,450)	(1,170)			
Natural Surplus					.0,000	8,564		111,860		(.,	(.,			
						0,004	000	,000		-				

OFWC "Fall Objectives" Base	Chinook Retention	Daily Bag*	CHF Morts (kept+rel)	URB Morts (kept+rel)	Impact delta from Base
Buoy 10	8/1-13 MSF; 8/14-9/6 nMSF	2 fish/1 CHF bag 8/1-9/6; 3 fish/0 CHF 9/7+	26,540	9,770	
Tongue Pnt-Warrior R.**	8/1-9/7 nMSF; 9/8-14 MSF	2 fish/1 CHF bag 8/1-9/14; 2 fish/0 CHF 9/15+	9,880	6,800	
Warrior RBonneville	8/1-10/31 nMSF	2 fish/1 CHF bag 8/1-10/31;	19,220	13,420	
Zone 6+McN-395	8/1-10/31 nMSF	11/1+ closed	6,250	3,570	
Other Approach (WA)	Chinook	Daily Bag*	CHF Morts	URB Morts	Impact delta

2021 Fall Recreational - Preliminary Modelling Results

Other Approach (WA)	Chinook Daily Bag*		CHF Morts	URB Morts	Impact delta
Other Approach (WA)	Retention	ention		(kept+rel)	from Base
		2 fish/1 CHF bag 8/1-23;			+0.12% LRH ER
Buoy 10	8/1-23 nMSF	2 fish/0 CHF 8/24-9/6;	19,130	6.570	
		3 fish/0 CHF 9/7+			-0.85% SRW HR
Bueu 10	8/1-? nMSF;	2 fish/1 CHF bag 8/1-9/6;	TDD		
Buoy 10	8/?-9/6 MSF	3 fish/0 CHF 9/7+	TBD	TBD	

* Rolling steelhead closures will be in effect

**Tongue Pnt-Warrior R. with nMSF 8/1-9/10 results in similar estimates.

2021 Commercial Option

NT preseason commercial industry request

	a y request			
			URB	
_	Catch	Season	Catch	Catch/URB
<u>Commercial</u>				
Zone 4-5 Wk 32. Aug 1-7		none		
Zone 4-5 Wk 33. Aug 8-14	1,190	2 periods	890	1.3
Zone 4-5 Wk 34. Aug 15-21	5,780	3 periods	3,220	1.8
Zone 4-5 Wk 35. Aug 22-28	6,880	2 periods	3,650	1.9
Zone 4-5 Wk 36. Aug 29-Sep	6,000	1 period	2,910	2.1
August Subtotal	19,850	8 periods	10,670	
Zone 4-5 Wk 38. Sep 12-18	4,990	1 period	2,620	1.9
Zone 4-5 Wk 39. Sep 19-25	6,240	2 periods	3,580	1.7
Zone 4-5 Wk 40. Sep 26-Oct 2	1,480	1 period	970	1.5
Zone 4-5 Wk 41. Oct 3-9	1,480	1 period	970	1.5
Oct Coho Tanglenet	1,020	TBD	770	1.3
September+ Subtotal	15,210		8,910	
Select Area	5,780	Full Season	490	11.8
Grand Total	40,840		20,070	

Ocean fishery options - see "2021 NOF Ocean Management Alternatives"

Oregon/Washington Departments of Fish and Wildlife March 17, 2021