



2014 Non-Indian Columbia River Summer/Fall Fishery Allocation Agreement May 30, 2014

Management Intent for Summer and Fall Season Fisheries

- This agreement reflects the intent of the Washington and Oregon Fish and Wildlife Commission policies and the management objective to optimize non-treaty commercial and recreational fisheries harvest of Chinook and coho within the limitations of the Endangered Species Act (ESA).
- This agreement was developed during the March and April 2014 Pacific Fisheries Management Council and North of Falcon meetings, which included input from commercial and recreational fisheries representatives.
- Management objectives for Columbia River Chinook fisheries include maximizing the harvest of healthy stocks of fall Chinook, while remaining within the limits for all ESA-listed stocks.
- The non-Indian conservation responsibility for ESA-listed Chinook is shared between recreational and commercial fisheries.
- The preseason forecast, after ocean fisheries, for Upriver Bright fall Chinook (URB) at the Columbia River mouth is 919,000 adult fish and includes 61,000 Snake River wild fall Chinook (SRW). Based on these forecasts, the ESA limit on SRW Chinook is 15% for Columbia River non-Indian fisheries.
- For 2014, the most constraining stock is lower Columbia River wild/natural tule Chinook (LCR tule). The Lower River Hatchery (LRH) stock is the surrogate for LCR tules. The ESA limitation is a 41% exploitation rate (ER) for both ocean and Columbia River fisheries. Columbia River fisheries were modeled with an 8% ER, or 19% of the total allowed.
- Preseason shares of LCR tule impacts for Columbia River fisheries are expected to be 70% recreational and 30% commercial. Shares for URB/SRW impacts are expected to be 38% recreational and 62% commercial.
- The preseason forecast for coho is for a return of 638,300 adults to the Columbia River (nearly 975,000 ocean abundance). The ESA limitation for Lower Columbia River wild/natural (LCN) coho is a 22.5% ER. The ER from Columbia River fisheries is expected to be 8.1%, or 36% of the total allowed.

Preseason Fishery Expectations

- The fall fishery expectations outlined in this agreement are based on Model Run "MR2014-Final Preseason".
- Catch estimates are based on stock-specific preseason abundance forecasts and past stock-specific harvest rates.
- For Columbia River recreational and commercial fall-season fisheries, the Columbia River Compact/Joint States will use the expected preseason shares of LCR and URB-Chinook and LCN coho impacts for each fishery as the primary guidance for making inseason management decisions.
- Preseason catch expectations for fall Chinook in mainstem fisheries (excluding tributary recreational and commercial Select Area Fisheries) are 102,100 adults in recreational fisheries (48%) and 112,600 adults in commercial fisheries (52%).
- Harvest, season structures, and impacts accrued will be influenced by actual fall Chinook abundances and stock-specific harvest rates by each respective fishery.

Goals/expectations for the recreational fishery include:

- The Buoy 10 recreational fishery will begin on August 1 with a two fish/one Chinook daily limit through September 1. During August 30 through September 1 a mark-selective fishery (MSF) for fall Chinook is anticipated, meaning Chinook must be adipose or left-ventral fin clipped.
 - From September 2 30, only hatchery coho may be retained (no Chinook). During this time, the daily bag limit will include three hatchery coho.
 - From October 1 through December 31, the daily limit will be two fish/two Chinook.
 - In-season considerations will include the potential for a Chinook MSF during all or part of the scheduled Chinook non-retention period (Sept 2-30), and an evaluation of coho harvest with the potential for a non-MSF coho retention period. These decisions, if warranted, will be made in-season through the Columbia River Compact.
 - Harvest (including release mortality) expectations include 45,700 Chinook (6,600 LRH) and 56,500 hatchery coho.
- The mainstem recreational fishery from the Rocky Point/Tongue Point line upstream to Bonneville Dam will be open August 1 through December 31 but Chinook retention seasons and bag limits vary by river section with the intent of maximizing opportunity while minimizing impacts to LCR Chinook.
 - From the Rocky Point/Tongue Point line upstream to the Lewis River, Chinook retention is allowed August 1 through September 6 followed by a Chinook MSF (adipose fin clip) from September 7 14. The daily limit for both fisheries is one fish/one Chinook. Beginning October 1, Chinook retention will reopen with a two fish/two Chinook daily limit.
 - From the Lewis River/Warrior Rock line upstream to the lower end of the Steamboat Landing dock near Washougal, WA, the fishery will be open for

Chinook retention August 1 through December 31 with a two fish/two Chinook daily limit.

- From Steamboat Landing upstream to Bonneville Dam, the fishery will open for Chinook retention August1 through December 31 with a three fish/three Chinook daily limit.
- Harvest (including release mortality) expectations include 42,800 adult Chinook (2,700 LRH) and 3,800 adult hatchery coho.
- The mainstem recreational fishery from Bonneville Dam upstream to the Highway 395 Bridge in Pasco, Washington will begin on August 1 with a three fish/three Chinook daily limit through December 31. The kept catch expectation is 13,700 adult Chinook.
- To maximize opportunity, recreational fisheries are expected to remain open for hatchery coho and hatchery steelhead August 1 through December 31 throughout the river, including times and areas closed for Chinook retention.
- During all fall fisheries from Buoy 10 upstream to the OR/WA border (upstream of McNary Dam) each legal angler aboard a vessel may continue to deploy angling gear until the daily adult salmonid bag limit for all anglers aboard has been achieved.
- The dates, area restrictions, and catch expectations described above are based on preseason planning and input from the recreational fishing community. In-season events may change many of these expectations.

Goals/expectations for the commercial fishery include:

- The August (Early Fall) fishery is modeled to begin on August 3 and is expected to continue through the end of August, with fishing periods of three to four days per week. Fishery structure is expected to include 9-hour (9 PM-6 AM) periods in Zones 4-5 with a 9-inch minimum mesh size. The catch expectation is 86,400 adult Chinook (2,900 LRH). Additional fishing period(s) with reduced area or hours may be considered in early September to meet harvest guidelines.
- The Late Fall fishery is expected to begin the week of September 14 in Zones 4-5 with 8-inch or 9-inch minimum mesh. The catch expectation is 23,000 adult Chinook (600 LRH).
- Coho-directed fishing periods are expected to begin in early October using 3.75- inch tangle nets. Additional fishing periods using unslackened 6-inch maximum-mesh gillnets are also expected. As in past years, target coho fisheries will likely occur during daylight hours in Zones 1-3. Based on preseason forecasts, up to 70,000 coho may be available for commercial mainstem fisheries.
- Limited beach and purse seine research fisheries are also expected to occur during the fall of 2014. Season structure will be determined in-season through the Columbia River Compact.
- The dates, areas, gear restrictions, and catch expectations described above are based on preseason planning and input from the commercial fishing industry. In-season events may change many of these expectations.

• Sturgeon harvest will be prohibited, consistent with the policies adopted by the Fish and Wildlife Commissions of both Washington and Oregon.

Summer Chinook and Sockeye Fishery Expectations:

- The preseason forecast for upper Columbia summer Chinook is 67,500 fish to the Columbia River. The ocean harvest in non-treaty fisheries south of the U.S./Canada border is modeled at 4,000 fish. Based on an escapement goal of 29,000 adult fish to the Columbia River mouth and the *U.S v Oregon* Management Agreement, the allowable harvest (including release mortality) for all non-Indian fisheries in the Columbia River is 14,600 fish.
- Based on the WDFW Upper Columbia Management Agreement, the available harvest for fisheries downstream from Priest Rapids Dam is 4,700 Chinook (32.5% of available in-river). Commission guidance allocates the harvestable share 60% recreational and 40% commercial.
- The mainstem recreational fishery from the Astoria-Megler Bridge upstream to Bonneville Dam will be open from June 16 through June 30 for hatchery summer Chinook, with a two fish/two Chinook daily limit. The management guideline for this fishery is 2,400 summer Chinook.
- The mainstem recreational fishery from Bonneville Dam upstream to Priest Rapids Dam will be open from June 16 through July 31 for hatchery summer Chinook, with a two fish/two Chinook daily limit. The management guideline for this fishery is 400 summer Chinook.
- The commercial fishery downstream from Bonneville Dam may open as early as June 16. Additional fishing periods may occur the following week, depending on catch and run status. The management guideline for this fishery is 1,900 summer Chinook.
- The preseason forecast for sockeye is 347,100 fish. Non-Indian fisheries downstream of the Snake River are managed for an impact limit of ≤1% of the run, or ≤3,500 fish. Retention of sockeye will be allowed during recreational and commercial summer Chinook fisheries. No commercial fisheries targeting sockeye are planned.

Washington Department of Fish and Wildlife Oregon Department of Fish and Wildlife

Ocean Option: Columbia River Model Option:		NoF April MR2014-Final Preseason		9-Apr-14 10:22 AM			Pre-S	Season	2014 F	Final P	reseaso	on May	/ 21		
					[Non-India	n Catch	tch Sharing					
Management Guidelines	Goal/Guideline	Total SRW	Total URB			SR	W - Impac			Brigh	nts - Mainst				
Harvest Rate	45.00%	42.11%				_	Impact	Percent		_	Catch				
Non-Indian	15.00%	12.02%				Sport	4.62%	38%		Sport	82,100	48%			
Treaty Indian % of Harvestable Surplus	30.00%	30.09% Total	30.00%			Comm	7.40%	62%		Comm	88,300	52%			
Non-Indian	50%	22%			-	I F	RH - Impac	te		Chinook	Mainstem				
Treaty Indian	50%	35%			·		Impact	Percent		Onniook	Catch				
McNary Escapement	60,000	444,300				Sport	5.57%	70%		Sport	102,100	48%			
LRH Ocean/Inriver Exp. Rate	41%	41.0%				Comm	2.39%	30%			112,600	52%			
Non-Indian Wild B Index Steelhead	2%	2.0%					7.96%								
Treaty Indian Total B Index Steelhead	15%	15%													
Upriver Coho to Bonneville Dam	50%	70%													
Lower Columbia Chum	5%	1.5%	J												
Dcean Harvest				Total 137,940	LRH 41,910	LRW 1,920	BPH 56,650	URB 26,980	BUB 1,450	LRB 50	PUB 8,970	SAB	SRW	LRH ER	SRW HR
															inv
Columbia River Run				1,507,130	100,680	33,390	103,250	918,990	44,990	1,910	293,700	10,100	61,000	8.0%	
arvest Below Bonneville			Fishery Descriptio					=.				-			
ug 3 Week 32 Z4-5		days	Week of Aug 3	2,200	60	0	440	1,470	0		230	0	100	0.0%	0.29
ug 10 Week 33 Z4-5		days	Week of Aug 10	6,590	170	0	1,310	4,400	0		700	0	290	0.1%	0.5
ug 17 Week 34 Z4-5		days	Week of Aug 17	14,440	880	0	3,630	7,250	360		2,170	130	480	0.6%	0.8
ug 24 Week 35 Z4-5		days	Week of Aug 24	49,820	1,400	0	11,040	30,530	1,140		5,650	0	2,030	0.9%	3.3
. August/E. Sep 2S/Z4-5		hours	Aug 30	13,400	390	0	2,760	8,350	320		1,570	0	560	0.3%	0.9
ept/Oct Z4-5		days	Week of Sept 14	22,950	590	790	1,560	12,830	2,500		4,590	0	850	0.4%	1.4
eine Fishery		Research	Sept	5,200	0	0	0	0	0		0	0	0	0.0%	0.0
ctober Coho/Chinook	Week of Oct 14		Coho target	2,190	30	220	0	1,040	420		450	0	70	0.0%	0.1
ctober Tanglenet	Week of Sept 30-	-Oct 14	Coho target	1,040	20	110	0	490	200	10	220	0	30	0.0%	0.1
elect Areas			Average season	18,110	8,620	0	470	1,560	230		1,110	6,110	100	0.0%	0.2
Buoy 10 Kept + Morts		+ MSF Thru 9/1	Thru August 29	45,670	6,620	310	4,370	18,270	1,320	40	6,390	2,260	1,140	3.5%	1.9
P to Lewis		+ MSF Thru 9/14	Thru Sept 6	30,080	2,290	650	150	17,630	1,550	60	7,700	40	1,060	1.0%	1.79
ewis to Bonn		2/3 Fish Bag	Aug 1-Dec 31	12,700	410	0	100	8,380	300	10	3,500	0	450	0.3%	0.79
ributary Sport ower River Total			Full season	13,890 233, <i>080</i>	8,860 30,340	5,030 7, <i>120</i>	0 25,840	0 1 <i>12,220</i>	0 8,340	0 310	0 34,280	0 8,550	0 7,170	0.7% 8.0%	0.0° 11.75°
onneville Dam Passage				1,129,490	50,540	1,120	73,400	806,770	10,130		239,180	0,000	53,830	0.070	11.70
larvest Above Bonneville				, -,			-,	, -	-,		,		,		
one 6 - Bonn to Hwy 395			Average season	13,700				2,510	20		11,170		170		0.3
reaty Comm. and C&S			Average season	447,740			54,370	275,670	4,780		112,920		18,360		30.0
lanford Reach Sport			Average season	26,340			54,570	26,340	-,100		112,320		10,300 0		50.0
lcNary Dam Passage ower Granite Dam Passage				444,310				444,310							
scapement					78,960		19,040		26,520		115,100	1,650			
latchery					40,970		19,040		26,520		78,350	1,000			
atural					40,970 37,990	26,270	4,820	444,310	24,660 1,870		78,350 74,110	550			
latchery Surplus					28,490		7,210		24,660		38,990	200			