

Recreational Crab & Shrimp Advisory Committee Meeting

September 17, 2020

1:00 pm - 3:00 pm

Outline:

- 1) Who is in attendance
- 2) Virtual meeting etiquette
- 3) Shrimp Topics (1 hour)
- 4) Crab Topics (30 min)
- Old business
- New business
- 5) Other items (30 min)



Spot Shrimp Harvest Overview

| SPOT SHRIMP MANAGEMENT REGIONS | 2020 STATE HARVEST FOR THE POT FISHERY SPOT SHRIMP | | | | | RIMP | | | | |
|--|--|------------------|-----------------|------------------|---------|-----------|---------|-----------|--------------------|-----|
| Spot Shrimp Management Regions | QUOTA | State Adj. Quota | Rec. Harvest | Comm. Harvest | Total | Remaining | | | | |
| 1A/20B, 22A (west) | 80,000 | 39,137 | 31,000 | 8,390 | 39,390 | -253 | | | | |
| 1B/20B, 22A (east), 21A | 14,000 | 6,652 | 6,000 | 646 | 6,646 | 6 | 2020 Pe | rcentages | Policy Allocations | |
| 1C/20A, 21A, 21B, 22B | 6,000 | 3,000 | 1,000 | 1,791 | 2,791 | 209 | Rec | Com | Rec | Com |
| REGION 1 TOTALS | 100,000 | 48,789 | 38,000 | 10,827 | 48,827 | | 77.8 | 22.2 | 80 | 20 |
| 2E/24A-D, 26A-E (Skagit - Mukilteo) | 46,000 | 11,814 | 14,926 | 0 | 14,926 | -3,112 | | | | |
| 2W/25B-D, 26AW (Edmonds - Admiralty Inlet) | 15,000 | 7,500 | 5,238 | 735 | 5,973 | 1,527 | | | | |
| REGION 2 TOTALS | 61,000 | 19,314 | 20,164 | 735 | 20,899 | | 96.5 | 3.5 | 100 | 0 |
| 3/23A-E (S Lopez I-Iceberg Pt, etc) | 34,000 | 17,000 | 8,258 | 8,608 | 16,866 | 134 | | | | |
| 3/23A-W (S San Juan I-Salmon Bank, etc) | 40,000 | 20,000 | 1,000 | 20,564 | 21,564 | -1,564 | | | | |
| 3/23A-C, 23B (Straits-Hein, Eastern Bank, Smith I) | 106,000 | 53,000 | 8,223 | 45,130 | 53,353 | -353 | | | | |
| 3/23A-S, 23D (Straits-NE of P.A.) | 17,000 | 8,500 | 2,000 | 5,769 | 7,769 | 731 | | | | |
| 3/23C (Straits-Sekiu to P.A.) | 4,000 | 2,000 | 800 | 168 | 968 | 1,032 | | | | |
| 3/25A Outside District 1 (North of Protection Is.) | 36,000 | 14,504 | 6,299 | 8,361 | 14,660 | -156 | | | | |
| 3/25A,25E (Inside Disco. Bay SD) | 4,000 | 1,127 | 1,225 | 0 | 1,225 | -98 | | | | |
| 3/29 (Straits - Neah Bay) | 2,000 | 1,000 | 500 | 0 | 500 | 500 | | | | |
| REGION 3 TOTALS | 243,000 | 117,131 | 28,305 | 88,600 | 116,905 | | 24.2 | 75.8 | 22 | 78 |
| 4/26B-1, 26C (Seattle - Bainbridge Is.) | 11,000 | 5,500 | 5,785 | 0 | 5,785 | -285 | | | | |
| 4/26B-2 (Elliott Bay) | 11,000 | 5,500 | 7,907 | 0 | 7,907 | -2,407 | | | | |
| REGION 4 TOTALS | 22,000 | 11,000 | 13,692 | 0 | 13,692 | | 100.0 | 0.0 | 100 | 0 |
| 5/27A-C (Hood Canal) | 190,000 | 95,000 | 95,653 | 0 | 95,653 | -653 | | | | |
| REGION 5 TOTALS | 190,000 | 95,000 | 95,653 | 0 | 95,653 | | 100.0 | 0.0 | 100 | 0 |
| 6/26D (Vashon Island) | 10,000 | 5,000 | 4,285 | 60 | 4,345 | 655 | | | | |
| 6/28A-D (South Puget Sound) | 300 | 150 | 0 | 0 | 0 | 150 | | | | |
| REGION 6 TOTALS | 10,300 | 5,150 | 4,285 | 60 | 4,345 | | 98.6 | 1.4 | 100 | 0 |
| ALL REGIONS GRAND TOTAL | 626,300 | 296,384 | 200,099 | 100,222 | 300,321 | | 66.6 | 33.4 | 70 | 30 |

Spot Shrimp Harvest overview – State Recreational

| Marine Area | # Days | Total Creel Interviews (#) | Ave Catch per Boat (lbs) | Ave. Exp. Factor | Total Effort (# boats) | Target (lbs) | Catch (lbs) | Remaining (lbs) |
|-------------------------|-----------|----------------------------------|--------------------------------|------------------------|------------------------------|-----------------|-------------|--------------------|
| 7W | 39 | 370 | 14.8 | 0.71 | 1,751 + | 32,000 | 25,851 + | ~6,200 |
| 7E | 15 | 114 | 11.4 | 0.60 | 372 + | 6,652 | 4,231 + | ~2,421 |
| 7S | 7 | 318 | 17.3 | 0.52 | 536 | 10,000 | 9,258 | 742 |
| 6 - 25A1 | 26 | 390 | 11.2 | 0.82 | 562 | 7,500 | 6,299 | 1,201 |
| 6 - outside 25A1 | 26 | 279 | 16.5 | 0.80 | 499 | 9,000 | 8,223 | 777 |
| 6 - Discovery Bay | 2 | 70 | 15.5 | 0.50 | 110 | 1,127 | 1,225 | -98 |
| 8-1/8-2 | 1 | 195 | 19.3 | 0.99 | 772 | 11,814 | 14,926 | -3,112 |
| 9 | 2 | 161 | 14.8 | 0.99 | 353 | 7,500 | 5,238 | 2,262 |
| 10 – Elliot Bay | 1 | 131 | 23.7 | 0.92 | 333 | 5,500 | 7,907 | -2,407 |
| 10 – Outside Elliot Bay | 1 | 23 | 16.0 | 1 | 362 | 5,500 | 5,585 | 85 |
| 11 | 1 | 85 | 14.0 | 0.88 | 306 | 5,000 | 4,285 | 715 |
| 12 | 5 | 814 | 16.7 | 1 | 5,714 | 95,000 | 95,405 | -405 |

Recreational Harvest Estimation Methods

| MA | Method |
|-------------------------|-------------|
| 7W | Aerial:Buoy |
| 7 E | Aerial:Buoy |
| 7 S | Aerial:Buoy |
| 6 - 25A1 | Aerial:Buoy |
| 6 - outside 25A1 | Aerial:Buoy |
| 6 - Discovery Bay | Vessel:Buoy |
| 8-1/8-2 | Aerial:Boat |
| 9 | Aerial:Boat |
| 10 – Elliot Bay | Vessel:Boat |
| 10 – Outside Elliot Bay | Vessel:Boat |
| 11 | Vessel:Boat |
| 12 | Aerial:Boat |

- Methods were chosen to reduce the expansion factor and produce the most accurate estimate possible
- Logistics of each fishery were considered when determining most appropriate methods
 - Timing and duration, geography, other fisheries, harvester density, etc.


Comparison in 2W from 8/12:

Aerial:Boat – 2,932.95


Aerial:Buoy – 2,924.49

Creel staff tallied 151 shrimping boats and 5 non-shrimping boats on 6/11 at Camano SP and Everett ramps (3%)

Recreational Harvest Estimation Methods



Recreational Harvest Estimation Methods



Recreational Harvest Estimation Methods

Pitfalls in effort counts

| Date | MA | # Interviews | # Buoys | # Boats | Expansion factor | Expanded boat count | % Difference |
|------|------------|--------------|---------|---------|------------------|---------------------|-----------------|
| 5/28 | 6 – 25A | 43 | 45 | 15.12 | 0.77 | 19.7 | -54% |
| 6/21 | 6 – 25A | 19 | 12 | 4.47 | 0.95 | 4.71 | -75% |
| 8/13 | 6 – 25A | 29 | 13 | 3.97 | 0.57 | 6.77 | -77% |
| 6/21 | 6 – 23AC | 13 | 10 | 3.1 | 0.85 | 3.7 | -72% |
| 5/28 | 7 S | 92 | 65 | 19.35 | 0.38 | 50.87 | -43% |

underestimate ~662 lbs for 1 day

2020 Season Discussion

- COVID-19 Challenges
 - What worked, what didn't?

- Considerations for the future
 - Too many shrimpers and not enough quota. What comes next?
 - Dealing with uncertainty in fishery participation?
 - Missing buoys

Old Business

- F & W Commission Presentation Delay
 Brief Update
- Proposal for MA 8-1/8-2 winter fishery
 Larry B.

Harvest overview - Preliminary Summer State Recreational

| MANAGEMENT REGION | MARINE AREA | REGIONAL STATE SHARE | STATE RECREATIONAL SUMMER HARVEST | Summer Estimated Unreported Catch (EUC) | TOTAL STATE HARVEST TO DATE | STATE BALANCE TO DATE |
|----------------------|-------------|-------------------------|---|--|-----------------------------------|--------------------------|
| 1 | 7 | 2,200,000 | 397,519 | 23,851 | 421,370 | 1,778,630 |
| 2E | 8-1,8-2 | 1,000,000 | 926,377 | 55,583 | 981,960 | 18,040 |
| 2W | 9 | 225,000 | 89,708 | 5,382 | 95,090 | 129,910 |
| 3-1 | 6, N | 45,000 | 2,298 | 138 | 2,436 | 42,564 |
| 3-2 | 6, SE | 350,000 | 141,347 | 8,481 | 149,827 | 200,173 |
| 3-3 | 4, 5, 6 W | 25,000 | 6,227 | 374 | 6,601 | 18,399 |
| 4 | 10 | 38,682 | 47,182 | 2,831 | 50,013 | -11,331 |
| 5 | 12 | 150,000 | 88,860 | 5,332 | 94,192 | 55,808 |
| 6 | 11 | 37,500 | 31,847 | 1,911 | 33,758 | 3,742 |
| 7 | 13 | 0 | 554 | 33 | 587 | -587 |
| | | | | | | |
| STATE HARV | EST TOTALS | 4,071,182 | 1,731,919 | 103,915 | 1,835,834 | |

RED indicates areas without a signed plan and agreed-to quota

Early estimate based on 8.5% of all CRCs reported (online reports)

Prospects for Winter Fishery

| MA | Winter Opening | Potential Date | Structure |
|---------|--------------------|-------------------|-----------|
| 4,5 | YES | 10/1? | 7 days/wk |
| 6 | YES | 10/1? | 7 days/wk |
| 7 | YES | 10/1? | 7 days/wk |
| 8-1/8-2 | UNLIKELY (Limited) | ? | ? |
| 9 | LIKELY | 10/1? | 7 days/wk |
| 10 | NO | - | - |
| 11 | UNLIKELY | - | - |
| 12 | LIKELY | 10/1? | 7 days/wk |

More time needed to make management decision

Derelict Gear Recovery Summary - 2020




2020 Statistics to date


| Vessel Trips | 49 |
|-------------------------|-------|
| Officers | 28 |
| Crabs Released | 3,209 |
| Legal Males Released | 1,298 |
| Traps Recovered | 1,341 |

Soft Shell Delay in 7N

Range of 80% Hardness Threshold Dates from 1998 - 2008




Soft Shell Delay in 7N



Soft Shell Delay in 7N

- 1. How do we deal with this in the future?
- 2. Is adaptive management possible?



Upcoming Test Fishery Plans

- Crab Test
 - Oak Bay/Port Townsend
 - -9/16-9/17
 - Hood Canal
 - 9/21-9/25

Upcoming Test Fishery Plans


- Shrimp Test
 - MA 8, 9, & 10
 - -10/6-10/8
 - Hood Canal
 - 10/13 10/16
 - Discovery Bay
 - 10/20-10/21


Upcoming Test Fishery Plans

- Environmental Monitoring
- Temperature
- Dissolved Oxygen









Potential Budget Reductions

- Timeline and potential impacts
- Strong License Sales

Outreach to the public

- What <u>platforms</u> and <u>media</u> do the *recreational public* currently use to receive information about opportunities, rules, and shellfish management?
- What <u>platforms</u> and <u>media</u> should the **Department** use to communicate more directly with the recreational public in the future?
 - Options and improvements for how we can get information out in the future
 - FAQ page website
 - Fishery Management 101 page

Communication flow between advisers and crustacean team

- Direct bulk of communications through Aaron
 - Moderates workload
 - Policy needs clear idea of needs of recreational community
- Two larger meetings
 - Pre-Season (March) & Post-Season (September)
- Quarterly newsletter update

Renewal of advisory board positions

- Timeline
- Reconvene in winter (Feb 1 start)

Adjourn



Thank You!

Non-spot Shrimp Harvest Overview

| NON-SPOT MANAGEMENT REGIONS | 2020 STATE HARVEST FOR THE POT FISHERY NON-SPOT SHRIMP | | | | | | |
|---|--|------------------|---------|---------|--------|-----------|--|
| Non-Spot Shrimp Management Regions | QUOTA | State Adj. Quota | Rec. | Comm. | Total | Remaining | |
| Non-Spot Silling Management Regions | QUUIA | | Harvest | Harvest | | | |
| Region 1/20A-B, 21A-B, 22A-B | 74,900 | 30,400 | 1,500 | 28,316 | 29,816 | 584 | |
| Region 2 East/24A-D, 26AE | 38,000 | 19,000 | 1,000 | 17,963 | 18,963 | 37 | |
| Region 2 West/25B-D, 26AW | 10,000 | 5,000 | 500 | 0 | 500 | 4,500 | |
| Region 3/23A-D, 25A, 29 (Outside Disco Bay SD)* | 48,000 | 24,000 | 1,000 | 8,536 | 9,536 | 14,464 | |
| Region 3/25A , 25E (Disco. Bay Shrimp District) | 4,000 | 2,000 | CLOSED | CLOSED | CLOSED | 0 | |
| Region 4/26B, 26C | 2,000 | 1,000 | 0 | 0 | 0 | 1,000 | |
| Region 6/26D | 1,000 | 500 | 0 | 0 | 0 | 500 | |
| Region 6/28A-D | 2,000 | 1,000 | 0 | 0 | 0 | 1,000 | |
| NON-SPOT MANAGEMENT TOTALS | 179,900 | 82,900 | 4,000 | 54,815 | 58,815 | | |

Shrimp Trawl Harvest Overview

| TRAWL MANAGEMENT REGIONS | 2020 STATE HARVEST FOR THE SHRIMP TRAWL FISHERY | | | | | |
|--|---|------------------|-------------------------|-----------|--|--|
| Trawl Management Regions | QUOTA | State Adj. Quota | Commercial Total | Remaining | | |
| Region 1B/22A, 21A "triangle" | 116,000 | 56,000 | 53,971 | 2,029 | | |
| Region 1B/20B | 30,000 | 15,000 | 14,345 | 655 | | |
| Region 1C/20A | 20,000 | 3,000 | 1,781 | 1,219 | | |
| Region 3/23AE, 23B, 25A (Straits-Hein Bank, etc)** | 1,130,000 | 565,000 | 353,921 | 211,079 | | |
| 3/23AW, North of Port Angeles** | 113,000 | 56,500 | 0 | 56,500 | | |
| 3/23C (Port Angeles - Sekiu) | 200,000 | 100,000 | 0 | 100,000 | | |
| 3/29 (Sekiu-Neah Bay) | 25,000 | 12,500 | 0 | 12,500 | | |
| TRAWL MANAGEMENT TOTALS | 1,634,000 | 808,000 | 424,018 | | | |