COLUMBIA RIVER INTERTRIBAL FISH COMMISSION JOINT STAFF REPORT - FALL FACT SHEET NO. 8

Columbia River Compact/Joint State Hearing October 2, 2018

Fisheries Under Consideration: Treaty mainstem commercial

Detailed information on stock status and management guidelines for Columbia River fisheries are presented in Joint Staff Reports, which are produced annually and available on-line. The 2018 Fall Report was distributed on July 17, 2018. Links to the on-line reports are: http://wdfw.wa.gov/fishing/crc/and-http://www.dfw.state.or.us/fish/OSCRP/CRM/reports.asp

RIVER CONDITIONS

• The Columbia River flows at Bonneville Dam are currently 82.4 kcfs., but flows have been fluctuating between 82.0 and 120.3 kcfs in recent days.

STOCK STATUS

Fall Chinook

- Detailed stock status and forecast information was presented in Fall Fact Sheet #2
- Through October 1 a total of 172,778 adult and 28,667 jack chinook have passed Bonneville Dam.
- Through September 30, 80,740 adult fall chinook have passed McNary Dam.
- Spring Creek Hatchery has collected 11,324 adult fish and met their broodstock needs.
- TAC met on October 1 to review Chinook and steelhead run sizes. TAC updated the projected bright Chinook return to 149,000 and maintained the current projected return of 27,000 tule Chinook at Bonneville Dam. TAC also made minor adjustments to the expected escapement of upriver stocks to Bonneville Hatchery. Based on these adjustments, the projected run sizes at the mouth of the Columbia River are: 138,800 URB, 24,600 PUB, and 37,000 BPH.

Upriver Summer Steelhead

- Upriver summer steelhead pass Bonneville Dam from April through October of each year. Fish passing from July 1 through October 31 are categorized as A-Index or B-Index based on fork length (A-Index: <78 cm, B-Index: ≥78 cm). Passage during July is mainly A-Index fish; B-Index passage normally begins around the end of August. B-Index steelhead primarily return to Snake River tributaries in Idaho, while A-Index steelhead return to tributaries throughout the Columbia and Snake river basins.
- Through September 24 a total of 87,794 A and B-Index steelhead including 27,747 unclipped fish have passed Bonneville Dam.
- TAC maintained the total expected A- and B-Index steelhead run size at Bonneville Dam to 92,800. The expected A-Index run size is 69,500 and the expected B-Index run size is 23,300. The individual run component expectations to Bonneville Dam are shown in the table below.

A-Index	69,500
Total Hatchery	48,900
Clip Hatchery	46,000
Unclip Hatchery	2,900
Wild	20,600
Total Unclipped A	23,500
B-Index	23,300
Total Hatchery	20,700
Clip Hatchery	18,500
Unclip Hatchery	2,200
Wild	2,600
Total Unclipped B	4,800
Total A/B-Index	92,800
Total Hatchery	69,600
Clip Hatchery	64,500
Unclip Hatchery	5,100
Wild	23,200
Total Unclipped A/B	28,300

Coho

• Bonneville Dam passage was expected to total 51,800 adult Coho, which represents 65% of the forecasted ocean abundance of Columbia River Coho destined for areas upstream of Bonneville Dam. Counts at Bonneville Dam through October 1 total 29,037 adults and 5,858 jacks.

MANAGEMENT GUIDELINES

Salmon/Steelhead

- The 2018-2027 *U.S. v Oregon* Management Agreement (MA) provides specific fishery management guidelines for fall Chinook, steelhead, and coho.
 - The allowable impact rate for combined treaty Indian and non-treaty fisheries is 31.25% of the URB run based on preseason forecasts (URB stock is the surrogate for SRW Chinook). This impact limit is allocated 23% for treaty Indian fisheries and 8.25% for non-treaty fisheries.
 - The escapement goal at Spring Creek Hatchery is 7,000 adult fall Chinook (BPH stock). The management goal for adult fall Chinook at McNary Dam is 60,000 fish.
 - Based on the updated forecast, treaty Indian impacts are limited to 15% of the total B-Index steelhead, but the allowed impacts decrease to 13% if the B-Index steelhead run size is less than 20,000.
 - The goal for upriver coho passage at Bonneville Dam is 50% of the ocean abundance.
 - Fisheries are managed based on in-season run size updates as they become available.

2018 TREATY INDIAN FALL FISHERIES

- Fall Management Period platform and hook and line fisheries began August 1. A total of 60 Chinook and 20 steelhead have been harvested downstream of Bonneville. No recent fishing effort downstream of Bonneville has been observed. These catches are included in the total catch estimates provided below.
- 2018 tribal fall season salmon and steelhead catches through week 39 are shown in the table below along with modeled catch projections for this week and next week. Preliminary CWT's through week 39 have been used to estimate Chinook stock composition.
- The treaty fishery model does not predict coho catches so there are no coho harvest projections, but coho harvest is normally low in the fall season fisheries.

	2018 Treaty Indian Fall Season Fisheries						
Week	Fishery	Set Net Count	Total Adult Chinook	URB Chinook	Total Steelhead	B Steelhead	Coho
31-34	Platforms through 8/21	na	1,601	1,479	400	49	11
35	Aug 27-Aug 30 (3.5 days)	420	9,472	4,457	359	46	234
36	Sep 3-7 (4.5 days)	622	15,535	5,800	947	80	1,001
37	Sep 10-14 (4.5 days)	577	11,500	6,504	815	130	1,086
38	Sep 19-22 (3.5 days)	512	5,170	3,558	729	101	665
39	Sep 26-28 (2.5 days)	502	4,563	1,683	799	300	347
	Subtotal through 9/29		47,841	23,481	4,049	706	3,344
40	Oct. 3-6 (3.5 days) Modeled	490	3,400	1,700	1,900	1,410	
	Estimated Catch through 10/6 Allowed at Updated URB and B-Index run sizes Harvest Rate as of Sept 29		51,241	25,181	5,949	2,116	3,344
				31,924		3,495	
				16.9%		3.0%	
	Remaining after Sept 29			8,443		2,789	
	Expected Harvest Rate by Oc	et 6		18.1%		9.1%	
	Remaining Available After Oct 6			6,743		1,379	

Note: Catches for weeks with commercial gillnet openings include platform and hook and line catches for those weeks.

• The four Columbia River treaty tribes will adopt regulations consistent with the following:

2018 Treaty Indian Fall Commercial Gillnet Fishery							
Season:	n: 6 AM Wednesday October 3 to 6 PM Saturday October 6						
Area:	Zone 6						
Sanctuaries:	Standard river mouth and dam closed areas applicable to gillnet gear. The Spring Creek Hatchery sanctuary will be reduced to 150 feet around the hatchery ladder.						
Gear:	Set and Drift gillnets with an 8-inch minimum mesh restriction						
Allowable Sales:	Salmon (any species), steelhead, shad, yellow perch, bass, walleye, catfish, and carp may be sold or retained for subsistence. Fish landed during the open periods are allowed to be sold after the period concludes. Sturgeon may not be sold, but sturgeon from 38 to 54 inches fork length in the Bonneville Pool and sturgeon from 43 to 54 inches fork length in The Dalles and John Day pools may be kept for subsistence purposes.						
Additional:	h-hour quick reporting required for Washington buyers, pursuant to WAC 220-352-5 except that landings must be reported within 24-hours of completing the fish eket.						

- Catch and effort will be monitored to ensure the tribal fisheries remain within management limits. Set net counts will be made by air for each week of commercial gillnet fishing.
- Based on expected catches through October 6, the treaty fishery would be within its allowed limits for both URB Chinook and B-Index Steelhead.
- Remaining available URB fish are sufficient to provide impacts for late fall platform fishing and to address any post season stock composition adjustments that may be required.
- Platform and hook and line fisheries downstream of Bonneville, and Yakama Nation tributary fisheries do not require Compact action at this time.

FUTURE MEETINGS

• The treaty tribes will notify the States if an additional Compact Hearing is needed to address treaty fisheries.